

BRONZEWORX STUDIO

UNSURPASSED METAL TILE


LOWITZ & COMPANY

TILE ARTISTS · EST. 1990

MADE IN THE UNITED STATES



Quadrille 1 × 12" border



Tuxedo 1 × 12" border



Octave 1 × 12" border



Galileo 1 × 12" border



Bebop 1 × 12" border



Dahlia 2.5" diameter inset



Square 1 × 1"
corner/inset

Autograph

Classic patterns with a graphic, modern sensibility. Our newest collection of solid bronze.

True to its name, the Autograph collection lets you personalize your walls and floors, no matter your style - from stately to playful.

Honoring traditional designs, Autograph borders and insets help you forge your own modern signature in metal.

Available in both White and Traditional bronze, Autograph is a welcome compliment to stone, glass, ceramic or porcelain.

Autograph Collection · Technical Information

Size Options

Borders: 1 × 12 × 0.25 inches
Round Inset: 2.5 diameter × 0.25 inches
Square Inset: 1 × 1 × 0.25 inches

Material

Traditional Bronze
White Bronze

Our tiles are cast in solid bronze. They consist entirely of 99% post-consumer recycled material.

Variation

No two tiles are exactly alike. As tiles are cast and finished by hand, variation in the tile's surface naturally occurs.

Initially, some tiles may appear darker than others. The mild abrasion of the grouting process will effectively eliminate any color variation.

Patina

Bronze naturally mellows and darkens over time. This process is accelerated in wet locations. If water is allowed to accumulate and evaporate in the tiles' recesses, a verdigris patina may develop over time. (see Cleaning)

Applying a thin layer of paste wax 1-2 times a year will retard the patina process.

Installation

Cut borders to length with a hacksaw lubricated with WD-40.

In most cases, tiles can be installed using the same setting compound as the adjacent field material. Except: *Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the tile's surface.*

Sealing is not necessary.

Apply painter's tape before grouting to keep grout from accumulating in recesses.

For full details, see our Installation guide (available on our website and shipped with every order).

Cleaning

Clean tiles with a soft, damp cloth or paper towel and mild household cleaner. Clean up food splashes promptly to avoid altering the natural patina. Dry tiles thoroughly.

If more vigorous cleaning is required, use a diluted 5:1 water/white vinegar solution.

Original color and brightness can be restored using metal polishing cream, available at hardware stores.

Avoid highly acidic cleaners and abrasive cleaning tools.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Traditional Bronze	✓	✓	✓	✓①	✓②	✓②	✓③
White Bronze	✓	✓	✓	✓①	✓②	✓②	✓③

① Patina will vary depending on how much moisture is present. For pristine appearance, dry surface with soft cloth after shower.

② Patina will vary depending on climate. In most cases, gray-green verdigris patina will develop gradually and darken over time.

③ A dark patina will develop over time. Bronze can be laquered to prevent the patina from developing.

BRONZEWORX STUDIO

UNSURPASSED METAL TILE

LOWITZ & COMPANY


TILE ARTISTS • EST. 1990

MADE IN THE UNITED STATES

Autograph Collection • Design Concepts



Holly Go Lightly concept
Bebop 1×12" border
Traditional Bronze



Bruce Wayne concept
Quadrille 1×12" border, Square 1×1" inset,
White Bronze



James Bond concept
Tuxedo 1×12" border
White Bronze



Juliet concept
Octave 1×12" border, Dahlia 2.5" diameter inset
Traditional Bronze



Mrs. Robinson concept
Galileo 1×12" border
White Bronze